CURASEPT®

FIRST BECAUSE WE CARE


AFTE RAPID+

EN

MOUTH ULCERS

A widespread problem requiring an effective solution.
Aphthous ulcerations are the most common type of oral mucosal lesion. The causes of ulcer formation are not completely cleared, although factors such as stress, physical and mental fatigue, some diseases, injuries and wounds, hormonal changes, allergies and vitamin deficiencies have been associated with their onset.
Mouth ulcers often begin with a burning sensation at a specific site, followed by the development of a small roundish, yellowish white wound (ulcer), with inflamed margins and a diameter of about 3 - 4 mm, which at times may exceed 1 cm.
They are not dangerous for the health and are not contagious. However, they frequently cause pain, which may be very intense in some cases. Depending on their size and on the affected area, they heal spontaneously in a period of 1 to 4 weeks. **Speeding the healing process, and reducing perceived pain can be a significant benefit for people suffering from these conditions.**

THREE FORMS OF APHTHOUS ULCERS



MINOR APHTHOUS ULCERS
The most common and mildest form (affecting around 80% of cases)

MAJOR APHTHOUS ULCERS
A more painful but less common form

HERPETIFORM APHTHOUS ULCERS
A much rarer but extremely painful form

CURASEPT AFTE RAPID+

IT IS INDICATED in case of:
- Mouth ulcers, aphthous stomatitis, diffuse mouth ulcers;
- Injuries caused by orthodontic appliances, fixed and removable dentures, surgery;
- Viral (Herpes virus), fungal (oral thrush) and bacterial infections;
- Chronic and immune mediated diseases (pemphigus, bullous pemphigoid, erythema multiforme).

FUNCTIONAL INGREDIENTS:
Mucoadhesive polymers: protect the aphthous lesion, reduce pain and friction, prevent bacterial superinfections, and promote physiological healing and re epithelialization processes.
DNA/RNA: stimulates epithelial cell repair and growth.
HYALURONIC ACID: fights inflammation and reduces pain by promoting tissue healing.

CURASEPT AFTE RAPID+
Complete line of medical devices for the treatment of mouth ulcers and aphthous stomatitis.

Curasept Afte Rapid+ thanks to the formulation with DNA/RNA and hyaluronic acid, it quickly relieves pain by forming a protective barrier on the lesion. It reduces healing times, improves trophism and helps regenerate the oral mucosa.

PROTECTIVE GEL

It protects from the acute pain caused by mouth ulcers and oral mucosal lesions. Ideal for local action in the presence of single or small sized mouth ulcers.
It helps isolate and protect mouth ulcers by reducing sensitivity to irritating agents. It relieves painful symptoms, while reducing healing times. It restores the hydrolipidic film, improves trophism and promotes cell renewal.

INDICATIONS: Localised mouth ulcers, aphthous stomatitis, lesions due to injuries or vitamin deficiencies, herpes labialis, stomatitis induced by chemotherapy or radiotherapy.

INSTRUCTIONS FOR USE: Apply a small amount of gel 2 to 3 times daily for a week directly to the affected area inside the mouth. Use the application device provided, a clean and dry finger or a cotton swab. Do not rinse your mouth for at least one hour. Maintain scrupulous daily oral hygiene.

WARNINGS: For external use only. Keep out of the reach of children. Do not use in children under 6 years of age. Keep away from heat sources. Do not swallow.

INGREDIENTS AQUA, PROPYLENE GLYCOL, VP/VA COPOLYMER, CARBOMER, CELLULOSE GUM, CALCIUM/SODIUM PVM/MA COPOLYMER, HYDROLYZED RNA/DNA, LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE, SODIUM HYALURONATE, ALLANTOIN, GLYCYRRHETINIC ACID, BETA-GLUCAN, GLYCERIN, RUSCUS ACULEATUS ROOT EXTRACT, BISABOLOL, LEPTOSPERMUM SCOPARIUM BRANCH/LEAF OIL, MELALEUCA ALTERNIFOLIA LEAF OIL, O-CYMEN-5-OL, PHENOXYETHANOL, SODIUM BENZOATE, AMMONIUM GLYCYRRHIZATE, SODIUM SACCHARIN, PEG-40 HYDROGENATED CASTOR OIL, CAPRYLYL GLYCOL, 1,2-HEXANEDIOL, AROMA, C.I. 42090.

MOUTHWASH

It relieves the pain caused by mouth ulcers and aphthous stomatitis. Ideal for a widespread action in the presence of multiple injuries and recurrent mouth ulcers.
It acts in synergy with other treatments in the product line to effectively relieve pain. It helps regenerate gum tissue by increasing the hydration of the mucous membranes that results in improved cell trophism and renewal.

INDICATIONS: Mouth ulcers, viral (Herpes virus), fungal (oral thrush) and bacterial infections, chronic and immune mediated diseases (pemphigus, bullous pemphigoid, erythema multiforme).

INSTRUCTIONS FOR USE: Shake before use. Use approximately 10 mL twice daily for a week. Rinse for at least one minute. Do not eat or drink for at least one hour after rinsing. Maintain scrupulous daily oral hygiene.

WARNINGS: For external use only. Keep out of the reach of children. Keep away from heat sources. Do not swallow.

INGREDIENTS AQUA, DICAPRYLYL ETHER, COCO-CAPRYLATE/CAPRATE, CETEARETH-20, XYLITOL, GLYCERYL STEARATE, PROPYLENE GLYCOL, HYDROLYZED RNA/DNA, LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE, SODIUM HYALURONATE, ALLANTOIN, GLYCYRRHETINIC ACID, CETYL PALMITATE, CETEARYL ALCOHOL, CETEARETH-12, BETA-GLUCAN, GLYCERIN, RUSCUS ACULEATUS ROOT EXTRACT, BISABOLOL, LEPTOSPERMUM SCOPARIUM BRANCH/LEAF OIL, MELALEUCA ALTERNIFOLIA LEAF OIL, O-CYMEN-5-OL, SODIUM BENZOATE, PHENOXYETHANOL, SODIUM SACCHARIN, AROMA, CAPRYLYL GLYCOL, 1,2-HEXANEDIOL, CITRIC ACID, C.I.16255.

SPRAY

It relieves the pain caused by mouth ulcers and aphthous stomatitis. Ideal for a targeted application in hard to reach areas.
It consists of a stable emulsion that forms a protective lipid film on the lesion.
It relieves the pain caused by mouth ulcers, viral (Herpes virus), fungal (oral thrush) and bacterial infections, chronic and immune mediated diseases (pemphigus, bullous pemphigoid, erythema multiforme). It helps regenerate gum tissue by increasing the hydration of the mucous membranes that results in improved cell trophism and renewal.

INDICATIONS: Mouth ulcers, viral (Herpes virus), fungal (oral thrush) and bacterial infections, chronic and immune mediated diseases (pemphigus, bullous pemphigoid, erythema multiforme).

INSTRUCTIONS FOR USE: Apply 2 to 3 sprays twice daily for a week directly to the affected area inside the mouth. Do not rinse your mouth for at least one hour. Maintain scrupulous daily oral hygiene.

WARNINGS: For external use only. Keep out of the reach of children. Keep away from heat sources. Do not swallow.

INGREDIENTS AQUA, DICAPRYLYL ETHER, COCO-CAPRYLATE/CAPRATE, CETEARETH-20, XYLITOL, GLYCERYL STEARATE, PROPYLENE GLYCOL, HYDROLYZED RNA/DNA, LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE, SODIUM HYALURONATE, ALLANTOIN, GLYCYRRHETINIC ACID, CETYL PALMITATE, CETEARYL ALCOHOL, CETEARETH-12, BETA-GLUCAN, GLYCERIN, RUSCUS ACULEATUS ROOT EXTRACT, BISABOLOL, LEPTOSPERMUM SCOPARIUM BRANCH/LEAF OIL, MELALEUCA ALTERNIFOLIA LEAF OIL, O-CYMEN-5-OL, SODIUM BENZOATE, PHENOXYETHANOL, SODIUM SACCHARIN, AROMA, CAPRYLYL GLYCOL, 1,2-HEXANEDIOL, CITRIC ACID, C.I.16255.

CE MD

22 PAP

XDP00037

CURASEPT S.p.A.
Via G. Parini, 19
21047 Saronno (VA) Italy
Tel. +39 02 96 227 99
Fax +39 02 96 709 243
info@curaseptspa.it
www.curasept.it